

## Fixed Bollard Order Form

Date \_\_\_\_\_ Person completing form \_\_\_\_\_

Distributor/Dealer \_\_\_\_\_ Ship-to contact name \_\_\_\_\_

Purchase order # \_\_\_\_\_ Ship-to contact phone \_\_\_\_\_

Job name \_\_\_\_\_ Job city \_\_\_\_\_ State \_\_\_\_\_

### Bollard Type

#### M30 Deep Foundation

- M30D-F fixed bollard with 36 inch deep foundation Qty \_\_\_\_\_
- Finish options*
- Powder coat CA1001 Note: RAL color code\*: \_\_\_\_\_
- Hot dip galvanized CA1002
- Zinc rich primer CA1003 *for use with stainless cover*

- M30D-R Removable bollard with 36 inch deep foundation Qty \_\_\_\_\_
- Embedment sleeve*
- 304 Stainless CA1067
- 316 Stainless CA1068
- Finish options*
- Powder coat CA1066 Note: RAL color code\*: \_\_\_\_\_
- Hot dip galvanized CA1071
- Zinc rich primer CA1072 *for use with stainless cover*

#### M30 Shallow Foundation

- M30S-F fixed bollard with 12 inch foundation Qty \_\_\_\_\_
- Finish options*
- Powder coat CA1010 Note: RAL color code\*: \_\_\_\_\_
- Zinc rich primer CA1012 *for use with stainless cover*

- M30S-R removable bollard with 12 inch foundation Qty \_\_\_\_\_
- Finish options*
- Powder coat CA1013 Note: RAL color code\*: \_\_\_\_\_
- Zinc rich primer CA1011 *for use with stainless cover*

- M30S-L lighted bollard with 12 inch foundation Qty \_\_\_\_\_
- Finish options*
- Zinc rich primer CA1014

*Lighting options:*

- |   |        |   |        |
|---|--------|---|--------|
| <input type="checkbox"/> 12W LED, Cool          |        | <input type="checkbox"/> 12W LED, Warm          |        |
| <input type="checkbox"/> Glass refractor, clear | CA1017 | <input type="checkbox"/> Glass refractor, clear | CA1021 |
| <input type="checkbox"/> Stacked louver, clear  | CA1018 | <input type="checkbox"/> Stacked louver, clear  | CA1022 |
| <input type="checkbox"/> Glass refractor, opal  | CA1019 | <input type="checkbox"/> Glass refractor, opal  | CA1023 |
| <input type="checkbox"/> Stacked louver, opal   | CA1020 | <input type="checkbox"/> Stacked louver, opal   | CA1024 |

**M50 Deep Foundation**

M50D-F fixed bollard with 44 inch deep foundation Qty \_\_\_\_\_

*Finish options*

- Powder coat CA1033-XX Note: RAL color code\*: \_\_\_\_\_
- Hot dip galvanized CA1034-XX
- Zinc rich primer CA1035-XX *for use with stainless cover*

*Cap options*

- Flat top -01
- Domed top -02 *do not use with stainless cover*

M50D-R Removable bollard with 44 inch deep foundation Qty \_\_\_\_\_

Requires CA1070 embedment sleeve

*Finish options*

- Powder coat CA1069 Note: RAL color code\*: \_\_\_\_\_
- Hot dip galvanized CA1073
- Zinc rich primer CA1074 *for use with stainless cover*

**M50 Shallow Foundation**

M50S-F fixed bollard with 12 inch deep foundations Qty \_\_\_\_\_

*Finish options*

- Powder coat CA1075 Note: RAL color code\*: \_\_\_\_\_
- Hot dip galvanized CA1076
- Zinc Rich Primer CA1077 *for use with stainless cover*

*Cap Options*

- Flat top

M50S-R removable bollard with 12 inch deep foundations Qty \_\_\_\_\_

*Finish options*

- Powder coat CA1078 Note: RAL color code\*: \_\_\_\_\_
- Hot dip galvanized CA1079
- Zinc rich primer CA1080 *for use with stainless cover*

*Cap Options*

- Flat top

M50S-L lighted bollard with 12 inch deep foundations Qty \_\_\_\_\_

*Finish options*

- Zinc rich primer CA1048

*Lighting options:*

- |  |  |
|--|--|
| <input type="checkbox"/> 12W LED, Cool                 | <input type="checkbox"/> 12W LED, Warm                 |
| <input type="checkbox"/> Glass refractor, clear CA1050 | <input type="checkbox"/> Glass refractor, clear CA1054 |
| <input type="checkbox"/> Stacked louver, clear CA1051  | <input type="checkbox"/> Stacked louver, clear CA1055  |
| <input type="checkbox"/> Glass refractor, opal CA1052  | <input type="checkbox"/> Glass refractor, opal CA1056  |
| <input type="checkbox"/> Stacked louver, opal CA1053   | <input type="checkbox"/> Stacked louver, opal CA1057   |

## Stainless Covers

### M30 Deep or Shallow Foundation, Fixed or Removable

- |                          |  |           |           |
|--------------------------|--|-----------|-----------|
| <input type="checkbox"/> | 304 Stainless                          |           | Qty _____ |
|                          | <i>Cap type</i>                        |           |           |
|                          | <input type="checkbox"/> Flat top      | CA1004-XX |           |
|                          | <input type="checkbox"/> Dome top      | CA1005-XX |           |
|                          | <i>Mount type</i>                      |           |           |
|                          | <input type="checkbox"/> Surface mount | -01       |           |
|                          | <input type="checkbox"/> Set screw     | -02       |           |
| <input type="checkbox"/> | 316 Stainless                          |           | Qty _____ |
|                          | <i>Cap type</i>                        |           |           |
|                          | <input type="checkbox"/> Flat top      | CA1007-XX |           |
|                          | <input type="checkbox"/> Dome top      | CA1008-XX |           |
|                          | <i>Mount type</i>                      |           |           |
|                          | <input type="checkbox"/> Surface mount | -01       |           |
|                          | <input type="checkbox"/> Set screw     | -02       |           |

### M50 Deep or Shallow Foundation, Fixed or Removable

- |                          |  |           |           |
|--------------------------|--|-----------|-----------|
| <input type="checkbox"/> | 304 Stainless                          |           | Qty _____ |
|                          | <i>Cap type</i>                        |           |           |
|                          | <input type="checkbox"/> Flat          | CA1036-XX |           |
|                          | <input type="checkbox"/> Dome          | CA1037-XX |           |
|                          | <input type="checkbox"/> Knight        | CA1038-XX |           |
|                          | <i>Mount type</i>                      |           |           |
|                          | <input type="checkbox"/> Surface mount | -01       |           |
|                          | <input type="checkbox"/> Set screw     | -02       |           |
| <input type="checkbox"/> | 316 Stainless                          |           | Qty _____ |
|                          | <i>Cap type</i>                        |           |           |
|                          | <input type="checkbox"/> Flat          | CA1039-XX |           |
|                          | <input type="checkbox"/> Dome          | CA1040-XX |           |
|                          | <input type="checkbox"/> Knight        | CA1041-XX |           |
|                          | <i>Mount type</i>                      |           |           |
|                          | <input type="checkbox"/> Surface mount | -01       |           |
|                          | <input type="checkbox"/> Set screw     | -02       |           |

### M30 Shallow Mount Lighted Bollard Covers

- |                          |  |           |           |
|--------------------------|--|-----------|-----------|
| <input type="checkbox"/> | 304 Stainless                                      |           | Qty _____ |
|                          | <i>Cap type</i>                                    |           |           |
|                          | <input type="checkbox"/> Flat with 360° opening    | CA1025-XX |           |
|                          | <input type="checkbox"/> Dome with 360° opening    | CA1026-XX |           |
|                          | <input type="checkbox"/> Flat with slotted opening | CA1027-XX |           |
|                          | <input type="checkbox"/> Dome with slotted opening | CA1028-XX |           |
|                          | <i>Mount type</i>                                  |           |           |
|                          | <input type="checkbox"/> Surface mount             | -01       |           |
|                          | <input type="checkbox"/> Set screw                 | -02       |           |

316 Stainless

Qty \_\_\_\_\_

*Cap type*

- Flat with 360° opening CA1029-XX
- Dome with 360° opening CA1030-XX
- Flat with slotted opening CA1031-XX
- Dome with slotted opening CA1032-XX

*Mount type*

- Surface mount -01
- Set screw -02

**M50 Shallow Mount Lighted Bollard Covers**

304 Stainless

Qty \_\_\_\_\_

*Cap type*

- Flat with 360° opening CA1058-XX
- Dome with 360° opening CA1059-XX
- Flat with slotted opening CA1060-XX
- Dome with slotted opening CA1061-XX

*Mount type*

- Surface mount -01
- Set screw -02

316 Stainless

Qty \_\_\_\_\_

*Cap type*

- Flat with 360° opening CA1062-XX
- Dome with 360° opening CA1063-XX
- Flat with slotted opening CA1064-XX
- Dome with slotted opening CA1065-XX

*Mount type*

- Surface mount -01
- Set screw -02

---

\*RAL color codes from Tiger Drylac™ offered at no additional charge. Other colors may result in additional cost.

This order form must be fully completed and signed before the order will be processed. Review form to be sure all appropriate boxes were checked.

**It is the responsibility of the HySecurity Distributor/Dealer to verify that the information on this order form is accurate. As stated in the Global Sales Agreement, custom orders are non-returnable.**

The order has been reviewed and approved by:

\_\_\_\_\_  
PRINT NAME

\_\_\_\_\_  
HYSECURITY DISTRIBUTOR/DEALER

\_\_\_\_\_  
SIGNATURE

\_\_\_\_\_  
DATE

FOR INTERNAL USE ONLY

Prior to the order, all the following requirements must be met:

- Fortified Crash Barrier Dealer Application
- Fortified Crash Barrier Dealer Credit Application
- Global Sales Agreement
- Maintains \$2 Million of liability insurance coverage and a security bond of \$50,000 minimum

\_\_\_\_\_  
SIGNATURE

\_\_\_\_\_  
DATE